State of Wisconsin Department of Natural Resources Private Water Systems Section - DG/2 dnr.wi.gov

## High Capacity, School or Wastewater Treatment Plant Well Approval Application

Form 3300-256 (R 7/05)

Page 1 of 6

Notice: Prior department approval is required for the construction, reconstruction or operation of a high capacity well or system of high capacity well or system of high capacity wells, a school well or a wastewater treatment plant well in accordance with Section NR 812.09(4)(a), Wisconsin Administrative Code. Personally identifiable information collected on this form, including such data as your name, address and phone number, will be used for management of department programs and is unlikely to be used for other purposes. This information will be addressable under Wisconsin's Open Records Laws, ss. 19.32 - 19.39, Wis. Stats.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to modify a well on a high capacity property, as required by NR 812.09(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under ch. NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more apartments, 10 or more condominiums, or 10 or more duplexes is regulated under ch. NR 811, Wis. Adm. Code. See NR 811.01, Wis. Adm. Code for applicability requirements.

Applicant Information										
Application Prepared By (Name and Title)		Company								
Roger Weber		Weber Well Drilling, Inc.								
Street Address		City		7.7.7.	ZIP Code					
N2253 County Road G		Chilton		WI	53014					
Telephone Number	Fax Number		E-Mail Address							
920-849-2400	920-849-7192		weber1@ex	kcel.net						
Property Ownership Information										
Property owner, if different than applicant (	Name of Person and Title)	Company								
Jay Binversie CEO		Robinv	vay Dairy LLC	\$ 5						
Street Address		City		State	ZIP Code					
17231 Point Creek Road		Kiel		WI	53042					
Telephone Number	Fax Number		E-Mail Address							
920-901-5655	920-773-2341		jaybinversi	e@hotmail.co	om					
Well Operator Information										
Well operator if different than owner (Name	e of Person and Title)	Company								
Street Address		City		State	ZIP Code					
Telephone Number	Fax Number		E-Mail Address							
Property Information										
Enter the High Capacity Well File Number be	elow if the property is already	a high capacity	y property. If the pro	perty is not designa	ated as a high capacity					
property at the time of application, enter "NC or use the compact disk of departmental well	NE." NOTE: Find the file num I data that is issued to drillers :	iber in upper ri and pump inst	gnt nand corner of tr allers. On the compa	ne most recent nigi act disk, see "File lo	ocation" in red print in					
"Location" section. File number format is as	follows: (1 or 2 digits for count	y) - (1 digit for	well classification) -	(1 to 4 digits for as	signed property no.).					
County	Town		No.							
Manitowoc	Meeme									
Submittal Purpose										
Check all that apply:										
Install one or more new wells with a capacity greater than 70 gallons per minute.										
Install one or more new wells with a capacity less than 70 gallons per minute on a high capacity property.										
Replace one or more wells with a capacity greater than 70 gallons per minute.										
Replace one or more wells with a capacity less than 70 gallons per minute on a high capacity property.										
Reconstruct one or more wells with a capacity greater than 70 gallons per minute.										
Reconstruct one or more wells with	Reconstruct one or more wells with a capacity less than 70 gallons per minute on a high capacity property.									
Increase pumping rate in one or me	Increase pumping rate in one or more wells to a rate greater than previously approved.									
Request continued operation of high	h capacity wells after a cha	ange in owne	rship. (No applica	ation fee required	I.)					
Renew a previous approval that ha	s expired.									
Well (or wells) will serve a school of	or wastewater treatment pla	ınt. See defii	nitions on page 5.							
Other explain non-notable	N Other explain non-notable irrigation well									

Site Status Information											
Determine the site status using the internet or the compact disk of departmental well data that is issued to drillers and pump installers and the information supplied by the property owner. Internet address is <a href="mailto:dnr.wi.gov/org/water/dwg/dws.htm">dnr.wi.gov/org/water/dwg/dws.htm</a> . Enter YES or NO for each of the following questions.											
YES	NO X	Has the property boundary changed since the most recent high capacity well approval was issued? If the property is not yet a high capacity property, check NO.									
	X	Has there been a change in well ownership since the last approval was written?									
		If YES, name of current owner: Date of purchase:									
	X	Has there been a change in well operator since the last approval was written?  If YES, name of current operator:  Date of change:									
	X	Will a proposed well be connected to a plumbing system that is supplied by other sources (other wells, municipal supply, etc.)? If YES, include a schematic drawing showing backflow protection.									
	X	Is a proposed well within 1,200 feet of a landfill? Determine if there are any landfills nearby, using the well information compact disk FIND feature. Enter the township, range and section of the well location. If the well is near a section line, also check the adjacent section or sections.  If YES, list the landfill site ID Number:  OR  Landfill location: (Township/Range/Section)									
	X	Is a proposed well on a property that has a contaminated site? If YES, list the BRRTS (Bureau for Remediation and Redevelopment Tracking System) Number here and specify if the site is open or closed:									
	X	Is a proposed well on a property that has a groundwater use restriction recorded on the deed? If YES, list the BRRTS number, as assigned to the contaminated site by the DNR remediation and redevelopment program:									
	X	Is a proposed well on a property that is listed on the department's registry of closed remediation sites for a groundwater use restriction? See compact disk or internet at <a href="maps.dnr.state.wi.us/imf/dnrimf.jsp?site=brrts">maps.dnr.state.wi.us/imf/dnrimf.jsp?site=brrts</a> . If YES, list the BRRTS Number here:									
	X	Is a proposed well to be used for a public water supply system that serves 25 or more people? See definition of a "public water system" in the definitions section on page 5.									
	X	Is a proposed well to be installed within a special casing area? Refer to the list of special casing areas that is published by the department and/or contact the regional DNR office.									
	X	Has the number of wells or pumping capacity in an existing well increased since the most recent high capacity well approval was issued?									
	X	Has the number of wells decreased since the most recent high capacity well approval? If the property is not yet a high capacity property, check NO.									
	X	Is a non-pressurized storage vessel (i.e. reservoir) other than a pond proposed or in use?									
	x	Will the well discharge directly to a storage pond?									
	X	Is a pressurized tank with a capacity greater than 1,000 gallons proposed or in use?									
	X	Is a proposed well within 1,200 feet of a quarry?									
	X	Is a proposed well located in a floodplain or floodway?									
	X	Are any existing well installations on the high capacity property out of compliance with Chapter NR 812, Wisconsin Administrative Code?									
	X	Will the well be used as a source of bottled water?									
	X	Are you seeking a variance to construct a well that has a capacity of less than 70 gallons per minute to low capacity well construction standards?									
	$\mathbf{x}$	Is the property served by a community water system?									

Existing Well Information																			
Enter the following information on	all <b>exis</b>	ting we	ells on	the p	orop	erty, if mo	re t	han f	our	wells	s, sub	mit	addil	ional s	shee	ts:			
Well Name Assigned by Well Owner (North Well, etc.):	NO	NE																	
Well Number Assigned by Owner (001, 002, etc.):																			
WI Unique Well Number or NA if no number:										***************************************									<del>~~~</del>
Permanent DNR High Capacity Well Number or N/A if none:					Γ														
Public Water System ID Number, if Public (if not public, NONE):																·			
Potable or Non-Potable Use:																			
Type of Well (Irrigation, Industrial, Residential, etc.):						····													
Requested Average Water Usage per Day in Gallons:					-									•					
Requested Maximum Water Usage per Day in Gallons:																			
Seasonal? (April to October, Year Around, etc.):																			
Approved Pumping Capacity if Previously Approved (gpm):						•													
Current Pump Type & Capacity (gpm):															Γ				
Proposed Pump Type & Capacity If Change Requested (gpm):																			
Pump Discharge Type (Over Top of Casing Seal, Pitless, etc.):															<u> </u>				
Discharge Location (Building Pressure Tank, Pond, etc.):																	•		
Height of Well Casing Above Ground in Inches:																			
Potential Contaminant Sources and Distance:																			
Well Loc: Quarter Quarter Section		1/4 of		1/4	1/4 of 1/4		1/4 of 1/4			1/4		1/-	4 of		1/4				
or Government Lot Number																			
Section or French Long Lot No.											***************************************								
Township:	Т			N	T N		N	T N			T				N				
Range (Select E or W):	R		Шε	□w	R		Г	]E [	]w	R				□w	R			] E [	Jw
Latitude (Degrees and Minutes)		0				٥		<del></del>	•		0				T	٥			,
Longitude (Degrees and Minutes)		0		,	1	0			•		0					0		·	1
GPS Map Datum (WGS84,					T														
WTM91, etc.) Include as much of the following inform well construction record is attached, a	nation as opticant	s practic	al for v	vells t	hat o	fo not have	wel	II cons	truc	tion re	ecord	s atta	achec	to the	appli	cation, l	iowe	er if t	he
Date of Construction:					Γ														
Drilled by (Name of Drilling Firm):								<u> </u>				•							
Drilling Method(s) (Rotary, Percussion, Etc.)																			
Well Depth in Feet:																			
Upper Enlarged Drillhole Diameter in Inches and Depth in Feet:	ir	iches,	,	feet		inches,		f	eet		inch	95,		feet		inches	S.		feet
Lower Drillhole Diameter in Inches and Depth in Feet:	ir	iches,		feet		inches,		ſ	eet		inch	es,		feet		inches	3,		feet
Well Casing Diameter in Inches and Depth in Feet:		iches,		feet		inches,			eet		inch	es,		feet		inches	3,		feet
Well Casing Material and Wall Thickness:																			
Annular Space Material Between Casing and Drillhole Wall:																			
Is There a Well Screen (Y or N) If so, Screen Material?:																			

Proposed Well Information									
Enter the following information on all	proposed wells or	the propert	y, if more tha	n two well	s or alternat	e construct	ion, submit ac	Jditional sh	eets:
Well Name Assigned by Well Owner (North Well, etc.):	Irrigation - C	ounty XX	· · · · · · · · · · · · · · · · · · ·						
Well Number Assigned by Owner (001, 002, etc.):	007						·		
Well Loc: Quarter Quarter Section or French Long Lot Number	SW 1/4 of	SW 1/	4 of Section			1/4 of	1/4 of \$	Section	
or Government Lot Number									
Township & Range (Select E or W)	т 17	N, R 2	2 XE	□w	Т	N	, R	ΠE	□w
Latitude (Degrees and Minutes)	43 •	Ę	6 266	*		0			•
Longitude (Degrees and Minutes)	_087 •	_ [	55. 184			0	•_		,
GPS Map Datum (WGS84, WTM91, etc.)	GPS 006								
Type of Well (Irrigation, Industrial, Residential, etc.):	Type: Irrigatio	n		able -Potable	Туре:	·		Potabl Non-P	le Potable
Drilling Method(s) (Rotary, Percussion, Etc.):	Rotary		D-7112-						
Anticipated Geological Materials and E	I			170	Τ΄				
Material and Depth Interval:	Sand-Clay La	·	0' to				from	0 ' to	
Material and Depth Interval:	Limestone	from		<u>500 ·</u>			from	' to	
Material and Depth Interval:		from	' to	•		<del></del>	from	' to	
Material and Depth Interval:		from	¹ to				from	' to	
Material and Depth Interval:	Ab Internal	from	' to				from	' to	
Drillhole Diameter and Anticipated Dep Diameter and Depth Interval;	12"		0	10					
		from	0 to 10 to	10 '			from	' to	
Diameter and Depth Interval:	8"	from		500			from	' to	
Diameter and Depth Interval:  Permanent Casing or Liner Diameter a	and Mall Thickness o	from	' to	nio:			from	' to	-
Diameter and Wall Thickness					1				
at Depth Interval: Diameter and Wall Thickness	8 "diam/ ,3	322" thick	0 ' to	170 '	" d	iam/	" thick	0 ' to	
at Depth Interval:	" diam/	" thick	¹ to	1	* d	iam/	" thick	' to	
Permanent Casing or Liner Material, I	Used:								
Casing Joints (Welded, T and C, etc.)	Plain End - V	Velded -	IPSCO						
Material and Weight		28,55lbs/l		o 170 '		,	lb-M-at	014-	
at Depth Interval: Material and Weight	Steel	Z0.3308/	001 0	0 1/0		<u>I.</u>	lbs/foot	0' to	
at Depth Interval:		lbs/f	oot '	to '			lbs/foot	' to	
Screen Material, Slot Size in Inches and Depth Interval or N/A if none:  Casing to Screen Joint (Welded, T		1	"/ '1	o '			"1	' to	:
and C, K Packer, etc.)									
Annular Space Material Including Filter		sed:			1				
Material and Depth Interval:	Clay Slurry		0 ' to	<u>10</u>	ļ		<u></u>	0 ' to	
Material and Depth Interval:			' to	· '			1	' to	
Proposed Average Water Usage Per Day in Gallons:	144,000								
Proposed Maximum Water Usage Per	432,000								
Day in Gallons: Seasonal? (April to October, Year Around, etc.):	June Throug	ıh Septei	mber						
Proposed Pump Type & Capacity (gpm):	Submersible	•					•		
Discharge Type (Over Top of Casing Seal, Pitless Adapter or Unit):	Over Top								
Discharge Location (Building Pressure Tank, Pond, etc.):	Irrigation Sy	stem							
Distance and Direction to Nearest Public Utility Well & Well Name:	4.5 Miles No	orth - St.	Nazians						
Distance to Other Potential Contaminant Sources:	none								
Distance to Other Potential Contaminant Sources:	***************************************								
Leave Blank, for Department use only						······································			

## Required Attachments

- 1. Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a Wisconsin Unique Well Number or a Permanent High Capacity Well Number, plot the well locations with one of those numbers.
  - A. Copy of a plat map with the property boundary clearly shown. If the property is contiguous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the property on the map.
  - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
- 2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells; property boundary; wetlands; potential contaminant sources (septic tank and drainfield, petroleum storage tanks, sewer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for example an irrigation well in the middle of a field, state that on the property map listed above and plot the well locations on that map.
- Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or site well number on the record that correlates to the well name or number plotted on the maps.
- 4. For proposed wells with a capacity greater than 400 gallons per minute, include the performance curve or performance table that is provided by the pump manufacturer. If the pump will be a lineshaft turbine, provide a curve with the same rpm as the motor under full load and list the motor horsepower.
- 5. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pitless, over top of casing sanitary seal); the water line from the well; pressure tanks; sampling faucets; check valves; backflow preventers; air gaps; manually operated valves; water meters; pressure switches for pumps; and any other pertinent fittings. This schematic drawing must also identify which of these components are buried or above ground. If there is more than one check valve within the well casing, include in-well check valves on the schematic.
- If reconstruction of an existing well is proposed, include a diagram of the current well construction and a diagram of the proposed construction.
- If the application is for a high capacity well or wells, a \$500.00 check payable to the Department of Natural Resources, unless the application is only for continued operation after a change of ownership.

## **Certification and Applicant Signatures**

If the application requests a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other variance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the application.

Unsigned and incomplete applications will not be approved.

By signing this form, the person signing this application certifies that to the best of his or her knowledge, all existing well installations on the property comply with ch. NR 812, Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information in the application is accurate and correct.

Name - Print	Check Box								
Roger Weber	Owner X	Agent of the Owner							
Signature	Company	Date							
Vorger Weber	Weber Well Drilling Inc.	12/30/2013							
Application submittal. Mail completed application and payment with all required attachments to DNR, Private Water Systems Section - DG/2, PO Box 7921, Madison WI 53707-7921.									
Definitions from Wisconsin Administrative Codes									

"Public water system" means a system for the provision to the public of piped water for human consumptions if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. [NR 812.07(80)]

"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers and Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial wastewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), Stats. (b) Pretreatment facilities from which effluent is directed to a public sewer system for treatment. (c) Industrial wastewater treatment facilities which consist solely of a land disposal system. [NR 114.03(14)]

<sup>&</sup>quot;High capacity well" means a well constructed on a high capacity property. [NR 812.07(51)]

<sup>&</sup>quot;High capacity property" means one property on which a high capacity well system exists or is to be constructed. [NR 812.07(52)]

<sup>&</sup>quot;High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts on one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate. [NR 812.07(53)]

See SCHLESWIG Page 22



See LIBERTY Page 13


0	17400 F 13800 F 10200												
990	(MH 10) F	Robert H 32 Binversie	Rosemary 505	Frederick F	B2.3	Frederick L9	Nicholas J	J 28 18 78	Richard Richard	Fitzpine Dairy	FOR FOR S	SEDL 19.	
	Robert H & Janet L	Joy R & Jr	Recembry 100 cm living ir 600 cm living	Bonde	Frederic Bonde B Fak Bonde B Fak Bonde 18	55.3 \₹	Bonde 39.3 Cheryl Bonde	500000	Jeanne Jeanne M Driscol	126.7	Robert - 3 H F	tz 200	
	Binyersie 307.3	Birryersie 61.4 0	L SPRING	5	8 2	71.3	7&V Bonde 81.2	3 9 9	Driscoll 85.8	2 38 1			
		Robert H Binversie 38.1	anvorse I	Foyl Fayl Binverse & Eugene Binverse Toust Coeppen 15 37.6	Schnel Schnel 41.8	Krueger Lumber Rondy Co 40 35.7	Corl G	Dovid & Sieen Siee	George F & Lucille C Lallensack	Robert 1989	Richard Solution of Base Solution of Bas	Soaring Eagle	
	William C Jost	MARKEN	SO WEPRINGS C	S Voss Rolph R	a Ralph R	Merril J Merril Liesch Liesch	Retein	ohn 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Living Tr		Osman 💈 🖁	Dairy LLP 77.8	
	100.5	Lomes &	DK7	NET TO BY	至 72	40 38 n	1	d GAD	CREEK MAJRI		I I I I I I I I I I I I I I I I I I I	S KAC	
	Robert H Binversie	H 10.05 Laly	18 18 18 18 18 18 18 18 18 18 18 18 18 1	100000000000000000000000000000000000000	Side Side	ney D on Ann r Trust 65	Da en Co	of G	1 5 0 0 mm	Fitzgerald 75.6 James & James	Leon & 29.8 5%	€ Mary	,,
Ľ	Joy &	Odomei 26.5	Mertel 20 SUNSHINE	Fohlmann Becker 18 -Trust 26.3	Diveneck Mk	hael L to 144.8	Kete 12	and G Garage State	James 3 Affine Dee Revoc Livin 78.4 Michael Carol I Grunwalk	HT Had Man	Hartman 108.3	Salm 66.1	ANGE
	Pamelal Binversie 44 R&M Fox	7 17	JS 12	8 2 P 8	Sheboygan	Sichard \	BEEK BON -	10	1 4 20	31.10	Jerome H U	Daniel	LINE R
	γ 228 K ΔΣ 8 R&C	Solm Solm		Mschade Spy 23,7 Spoot 31.3 Richard	Sand & Grave 116.4	Kaufmanos	Million H	Gerald R Salm 80 Gerald & Gerald & Julie Salm	Milian & Lara Greyk	ine A Maple of Leaf of Dairy	2 Mahloch	39.9 Diane M	ľ
	OF THE PERSON OF	U 35	Man College	8 cal Kh	Raymond Diem 39.7	Krueger ham 70.1	Henry A Langerhahn RUST RD Million H	Saln Saln Saln Saln	2 Tr 117	CUV ES Inc 10 VIII SAS SAS W	Dar Dar	38.2	
	Timothy J	7 ₹ ± 0	원 등 Marie Ruti	School	Roymond Diom 34.9 Diom 34.9 Diom 20.1	SaG S	Series Secries	Ann K 80 80 Soniads	LO . WELL	1 × × × × × × × × × × × × × × × × × × ×	84 9 MC	xple Leaf	
_	& Judy M Mueller 161.9	Robert J & Clara M Salm 79.4 Richard H Nennig 79.6	Siemers	Hill of A	Barmord Grant	£ 40, 30	Richard A 2 8	TO SEE FOR	S S S S S S S S S S S S S S S S S S S	John C D Y G	Maler Hongray Co	rew & 3	
	5 - 1	8-1-12		85 85	Diem Taylor 39.9 41.1	16-1-1	Richard A Salm Salm 42	S San WH I	GHartman Har is	Yunger X X	13 Hon	nnle to some	7
	d A Cher	Gory 2 Amueller 3 6 62.5	Thomas G & Barbara L Ko 115.1	MSF 19, Ly at	JFM E	327	499 40 A		I Meyer John & Lynn P Yunger 37.8	S Lorfeld	Charles An III	rew W O	Page
	gy R. Pomelo Burversle 65.3 Erhard A Boettcher 79	Musika I A	Richard C & Charlotte Zahrobsky	50 CE 5 11	149 ≥	Ene De	Craig W & Prainting Reymond Willings 40.2 David & Janet C Clements 80	§ Valley	Henry E H 5	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Offeko - of the	ahn e 8.4 p	LLE
13500	Myron &	Erhard A	Mrs Ectuin ±	Horle Poper A	파이 원 등	S loseon & Torrigra	570	Section 1	No Kilo		ALLEY & RD	neodore G	CENTERVILLE Page
	Mariene Mueller 77.4	Boettcher 75.8	Mrs Edwin E Rohde 70.4 %	A STATE OF THE SECOND	e 67 webe webe	Z Koppinger 60	s Farms	L L	Mocermann 81.7 Heck- mann 15	Tod &	Ziegler	Sukowaty 78,9 Leiteritz 15	NI
	Myron Mueller 82.6	Milton Mrs Mueller Edwin Rohde	Krueper Krup Kruper Krueper Krueper Krueper Krueper Krueper Kr	Mueller 54	Bono Joseph P Semer	Siemers Forms Inc 125.7	Slemens	Gerald & Lois Herr	Maryin J Kutz 40	Leiteritz	Nane Farm's	Orth 10	See CI
	11	/Myron see	Dennis &	G Siemers	Joseph P	1 - 2	R R R	Geraid & Andrew Weber 387	42- 11 -0	EHck- Robert T	50 24 24	Mark & Soily	Š
	Herbert Garlieb 164.3 g	Dorrell Dorrel	Graf /	Forms inc 45.6 Willard Meyer 45.3	Weber 37.8 \$R Robert J	SHF11 0 E D C C C C C C C C C C C C C C C C C C	P. 79	0.1.1	Schwartz 24.6	Jr 39.9	14 5 E	Herring 55	RAS
		JK 11 N10	A MEN	Semes Forms Inc 41	\$FI Robert J 22.6 & Cloro A \$calm ( 38.8	Siemers E 5 0 5 13 13	Siemers	Robert Burrows Jr 80	Robert I 2 800 800 800 800 800 800 800 800 800 8	Susan L Kracht 97.1	35 B	XX	RANGE LINE
	PA.8 M 6 Ronald J 29.3 29.3 10 & R 10 R 11.1 AORAINE	Charles Donohoo WSr Family & Polly A Trust	Volukas 20.8 Hardy 10	Mesolwitz 19 Marion	Salm Salm	Steven Melselvitz 35.6	Andrew Weber 50	Randall &	Robert H Burrows R8 8 2	Robert T Burrows	[S.5] Ziegler		E R
	F LB S LD S S S S S S S S S S S S S S S S S	Donohoe Arnold 19 Nemecek	Vernon S Conrad	Lucille 20	Roent State	Russel &	Russell D & Mary E	Mary Bonde 200	Shawn L	\$usan	Dairy Farms 392.9		
- 1	₹ RB 11	0 325 0	160	Koenig 1	h 4 .	Mary Bonde 158.4 W WASHIN	Bonde 106.8	7_R0	Wesener 77.2	Kracht 120	25		V E
_	Marcella Contad 125,6	Dernis For	*#***********************************	Alfred & Hildegord Koepke 78.2	Roethel 20	F3 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Alvin The	mas W	Randal D&P Seme Mary Real Estate Bonde 39 > 135.3	Section 1	<b>¬</b>		
		ncan R Ardon Adams 22.4	Henschel (5 12 19	Steven Maiselwitz 27.6 AH 5	Meiselver 28 A Meisel	Siemers Farms Inc 91.7	NUGHH	nisen D&P 160 Semes Red Estate 34.4	Z Don	Michael C Michael C Michael C	James L James L Schmidt Amang	20 70	
-	Do Judith	Ryan A Herbert	H 10 Herschel 29.6	Steven & Debbie Schueler 44.8	Steven & Debbie	s	[CLEVE LAND	RD State 34.4	SV 10 KF 10 =	X - Mark	37 prenoes	Robert T	
N. RD	Roeck 75	40 Mohler 39.4	Gerald W & Verna E Athorp 40	Eckardt M A S S S S S S S S S S S S S S S S S S	Schueler 37.2	Siemers - Farms Inc - 131.5	Roger Pritchard	2 D&P Siemers Real Estate	FrederickH & EN	s 10 70	79	Prigge 2	
ACORN	H5 420 8	USIGNO CON		F 52 1	Gary L	- Daniel J	Roger Pritchard 160	124.3	74.8 8 211	Frederick So E Freder	Mark Giese 41 –	Russell & Scott A Mueller 50	RANGE LINE
	Gary T 3	Sonne ondid	RIVER FORK  IAX Donald R  10 & Patricia L  RR5 Gobskopfa  885 94.4	Pohed Wil	Meyer 3	3 177 PW	8 3	Ziegler Dairy	Frederick & Judith C Westermover 117.3	5 Alen & Katherine Gatsch	Kentu		
	280.5 TO 8	SALB Ord Unct	RRS Golskopf 88.5 94.4 Dennis F	Johnson 3wita 47.2 RS 6 M	25.7 3 5 Siemers 3 2 3	Semens Forms Inc 37.1	Alfred M & Naomi R Luebke	Farms 107.5		Gobsch 40	& Mairy Olson 95 omas Charleen	James L Schmidt 79.3	B
17100	Gary T Mag N S Coal N	koomes E. Susonies koomes D. L. Donnes D. R. JM S. 54.8 Reinhord Ulich 20 Donnis F. Voss 7	Dennis F Voss 36.5	Siemen Forms inc 266	Siemers	G&W Varish 32.9	159	Merlin A Grunewald 34.5	David A Hartlaub	Gobsch Gobsch	Lensmire	79.3 MP312	
17	BETH					SUEBOVGA	COUNTY L	the same of the sa					

SHEBOYGAN COUNTY





## MEEME



					See	LIBERTY Page 1
,	17400 ST WHINT F					13800
	On the second se	Robert H	Resenary Hickman Living Ir 42.6  8  8  8  8  8  8  8  8  8  8  8  8  8	Frederick F		R&D EALK 9 Rich Rich Rich Rich Rich Rich Rich Rich
	& Janet L Binyersie 307.3	Jay R & 29 Pamela L 2 Binversie 61.4 2	The state of the s	Bonde 154.7	DO PTO Thon	eb ISV Bonde 81
	RB-8	Robert H Binversie 38.1	ESPRING CF? 5	Fay L Fay L Binversie 23.5 Binversie Trust	R Gary Krueger Lumber Co	Randy AN CC
	William C Jost 100.5		19	S Voss Ralph R Herzog 60		Merrill 2 4 0 Kel
	Robert H Binversie		80008 12	CK 10 SECTION	MM 7 LL 5 Sidney D & Jeon Ann Becker Tust 65	% pur % pur 08 uu 08 uu 08 uu 08 uu
Į	Pamelal	Schoren- broch 41.3 Joyce Odorneil 26.5 Harlaub	SINSHINE WHILE	Kohlmann Becker 18 Trust 26.3	DA 40 Michael L Presto 144.8	Richard & Domna Kaufmann
	100	bert on H	JS 12 8	halds hala hard	Sheboygan Sand & Gravel	Richard A Lu D Language H H L D L D L D L D L D L D L D L D L D
	Tarophy 10 11 X 12 12 12 12 12 12 12 12 12 12 12 12 12	7.2 lavel Hard	reil 10 10 10 10 10 10 10 10 10 10 10 10 10	Schoenboo	Raymond Bruce Diem 39.7 Krueger 39.7	hom 70.1 ± U 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
sed	Timothy J & Judy M	1 9 9 P P P	Y ₩ Morie Ruth	Hill 50	DS WE	
0		× × × × ×	Siemers Farms Inc 66.7	Urban Palnversi 56.9 ames & charen	Raymond Grant Diem 39.9 Taylor 41.1 6 H41	Richard A Be Saim 42 WILLMAS 2
2 2 2	& Pamela ersie 65/3 ord A ord A 77	62.5 3	Thomas G Barbara L Karls	M SHIQ No es	NEW Joseph W. 1977.78	Richard A Salm 120 Craig W & Patricla X Houley 40 Raymond Willings 40.2 David &
13500	Erholings	Bakk Uhl 6 Dond Meyee	Richard C & Charlotte Zahrobsky	Slemens Programs Prog	L&A S 13	Richard Salm 12 Craig w & Po Houky 4 Raymon Willings
	Myron & Moriene Mueller 774	Boettcher Ro	Wis Edwin Edwin onde 10:4%	A AMP W	Meber 1313	8. Tamara Singer 60 W99 Singer 60 Si
) )	Mueller M	Ailton Mrs Edwin Rohde 36.7	SEE STANDARD Meives 17. 20	SHORSESHOE	Bond Bond Bond Bond Bond Bond Bond Bond	mers and with the second secon
	Herbert M — Garlieb	Nueller Egg CL3	Graf John	Siemers Farms Inc 45.6	oseph P Weber 37.8 SHF 11	ns (S
		cree L Darrel R&	8 2 41.00	3	CH Dohart   Siemers	E # 2